KPA HEALTH AND SAFETY RULES AND REGULATIONS

1. GENERAL RULES AND REGULATIONS

1.1 Employees, Contractors and Port Users shall ensure: -

- **i.** They take reasonably practicable precautions for their own safety, safety of others and property;
- ii. Strict adherence to safety signs, posters and barricades;
- iii. Strict adherence to speed limits along port roads and operational areas
- **iv.** No driving along the berths and operational areas for private vehicles, bicycles and motorbikes;
- **v.** No picking or dropping of passengers at junctions;
- vi. Cargo trucks are not allowed to carry passengers;
- vii. Parking of vehicles must be done at designated areas only;
- viii. Trucks shall not be left unattended within Authority premises;
- ix. No vehicles shall be parked on designated equipment runways;
- **x.** They do not operate defective machinery/equipment/plant;
- **xi.** Use of appropriate personal protective equipment/clothing;
- xii. All the rules governing housing estates are observed;
- **xiii.** No unauthorized constructions/structures within the Authority's jurisdiction;
- **xiv.** No unauthorised transportation or transfer of fuels within Authority premises;
- **xv.** Fuels shall only be transported in appropriate containers;
- **xvi.** All persons assessing the port shall have a valid port and shall display the same at all times;
- xvii. There is no interference or destruction of flora and fauna;
- xviii. There is no pollution to the atmosphere, land and marine environment
- xix. There is no hawking in the Authority's premises;
- xx. Cleanliness is observed while in the port;
- xxi. Sanitary facilities are not misused;
- xxii. No indiscriminate disposal of wastes including human/animal in the yards

- and other open spaces and housing estates;
- **xxiii.** Litter is placed in the litterbins provided or at designated waste collection points;
- **xxiv.** Personal hygiene is adhered to;
- **XXV.** The relevant legislation concerning a docking vessel is enforced;
- **xxvi.** No smoking in the oil terminals, yards, sheds, workshops, general and public office;
- **xxvii.** Swimming and fishing in the port area is strictly prohibited;
- **xxviii.** Use of alcohol and drugs within Authority's premises is strictly prohibited;
- **xxix.** Sleeping within Authority's premises is strictly prohibited.

2. FIRE PRECAUTIONS

- 2.1 The Manager Conventional Cargo and Terminal Manager shall ensure that all explosives are for direct delivery, handled in daylight only and a fire permit is issued by the Chief Fire Officer which includes the provision of a fireguard until they leave the port area.
- **2.2** Any person who authorizes welding, burning or other hot works must ensure that such works have been inspected by a Fire Officer before they are carried out.

2.3 The Supervisor shall ensure that:

- **i.** Smoking or use of open fires is not allowed inside the sheds, stores, at oil terminals, on board ships and workshops.
- ii. Flammable substances are stored in a designated 'No Smoking' area.
- iii. All electrical fittings are properly secured and insulations are not damaged.
- **iv.** All portable electrical heaters, hot plates and cookers are placed away from combustible materials and are switched off and plugs removed from the sockets when not in use.
- **v.** All electrical and electronic appliances including air conditioners, computers, fans and unnecessary lights are switched off when leaving the office.
- vi. All waste papers and combustible materials are put in waste bins;
- **vii.** Smoldering materials are not disposed off into the waste bins and refuse chutes;
- viii. Emergency exits and passageways are not obstructed;
- **ix.** All fires are reported to the fire station even after they have been extinguished for record and necessary measures to prevent recurrence;

3. TRAFFIC IN THE PORT

3.1 ROAD TRAFFIC

- **3.1.1** All persons driving in the Port shall ensure that:
 - i. Entry and movement of vehicles is duly authorized;

- ii. Vehicles are roadworthy;
- iii. Vehicles are insured;
- iv. Separation of operational and non-operational vehicles
- **v.** Vehicles must have hazard triangle sign;
- **vi.** Vehicles working in operational areas display suitable amber flashing warning lights and/or hazard warning lights;
- vii. Container carrying trucks must be fitted with serviceable twist-locks;
- **viii.** Vehicles do not encroach onto hatched areas or yellow lines denoting plant runways;
- **ix.** Trucks do not have defective load anchoring points, twist locks and/or weak bodies;
 - Vehicles carrying steel coils ,billets and other steel cargoes should have appropriate steel cradles and lashed firmly using wires or chains and turnbuckles;
 - **xi.** Drivers remain in their vehicles except when being loaded/offloaded;
 - **xii.** All trucks accessing the port must meet the requirement of the KPA truck safety checklist
- **xiii.** Vehicles do not cause obstruction to roadways, railway crossings, crane shunting areas, RTG runways and passageways within the Port and its environs;
- **xiv.** They observe the speed limit of 50kph along Kilindini road and 30kph 20kph along internal roadways and in all working areas;
- **xv.** Vehicles are parked at designated areas only;
- xvi. Road signs and posters are observed and traffic flow systems adhered to;
- **xvii.** All accidents are promptly reported to Safety Office, Security Office, Plant Inspectors and Port Police;
- **xviii.** All damage to Kenya Ports Authority/third party property is reported and promptly assessed by the Civil, Mechanical, Electrical, or Telecommunications Engineer as appropriate;
- **xix.** In all accidents involving damage to Kenya Ports Authority property, a liability certificate is obtained from the Commercial Manager before the vehicle is removed from the Port premises.
- **xx.** They Vehicle Operators shall meet any costs arising from any obstruction or damage to property;

- **3.1.2** In addition to the above, all motorcycle riders must ensure:
 - i. They wear appropriate PPE;
 - ii. They do not enter the container terminal and other operational areas;
 - iii. They park at designated areas only;
 - iv. They do not carry pillion passengers

3.2 YARD TRAFFIC

- I. No driving along the berths and operational areas for private vehicles, bicycles and motorbikes;
- **II.** Drivers shall maintain a speed limit of 20Km/hrs while driving in the Yard;
- **III.** Motorists shall adhere to the yard safety signage and posters and traffic flow markings;
- **IV.** Trucks shall strictly be confined to the loading zones while at the terminal for loading or offloading cargo;
- **V.** Trucks shall not be parked or encroach onto designated equipment runways;
- **VI.** Trucks shall not be left unattended within Authority premises;
- **VII.** Drivers shall not drive under the influence of drugs and alcohol;
- **VIII.** Drivers shall not drive under suspended or hanging loads;
 - **IX.** Reachstackers and empty container handler shall not be deployed to work in container blocks where RTGs are working;
 - **X.** RTG operators shall ensure that runway are clear of any obstruction before travelling;
 - **XI.** All motorists shall slow down when approaching the yard shunting areas;
- **XII.** Drivers shall not take sharp corners while driving in the yard;
- **XIII.** Drivers shall not reverse in the yard except where they are guided;
- **XIV.** All private motorists driving through the port shall strictly drive along designated road;

3.3 RAIL TRAFFIC

- 3.2.1 All Employees and Port users shall ensure that:
 - i. They observe railway-crossing signs;
 - ii. They keep clear of railway lines, roads and passageways;
 - **iii.** They slow down before crossing over and avoid moving/walking along the railway lines;
 - iv. They do not encroached onto the 2 meters clearance from the railway lines;
 - **v.** They do not cross railway lines by passing underneath or climbing over

- wagon couplings;
- vi. During shunting no one rides on poles or wagon buffers;
- **vii.** During coupling, no person shall go between the wagons or other vehicles to attend to couplings unless the wagons are brought to a complete standstill.

4. OPERATIONAL AREAS

4.1 QUAYSIDE

- **4.1.1** The Section Superintendent and Supervisors shall ensure that:
 - i. The berth has suitable traffic flow markings;
 - **ii.** The berth is in suitable working condition
 - iii. The berth and the quay crane are well lit;
 - iv. During berthing and unberthing of a vessel, the cranes are correctly positioned, jibbed/boomed up;
 - **v.** No person is on the quay crane whilst a vessel is berthing/unberthing;
 - vi. There is no leaning, sitting on or walking under cranes and load paths;
 - vii. Unauthorized driving or parking at the quayside is prohibited;
 - viii. No vehicle is driven over trailing cable trench;
 - **ix.** Ship contractor activities are safely carried out and at the convenience of stevedoring operations;
 - **X.** Any missing or damaged manhole cover is immediately reported to the relevant engineering division for appropriate action;
 - xi. Proper housekeeping is observed at the quayside at all times;
 - **xii.** Adequate precautions are taken at the berth while handling hazardous cargo.

PROJECT AND CONTRACTOR RULES

1. INTRODUCTION

It is the policy of Kenya Ports Authority to ensure that all Projects and Contractors including Sub-contractors comply with rules and regulations made in conformity with the Safety Health and Environment Policy.

2. RESPONSIBILITIES

- **2.1** The Manager, Safety Health and Environment shall be responsible for performance of the Project/Contract in as far as Safety Health and environment matters are concerned including:
 - i. Professional advice on Safety Health and environment matters;
 - ii. Induction of Project/Contractor Personnel;
- iii. Continuous monitoring of Project/Contractor performance;
- **2.2** Respective Departmental Managers shall involve the Manager, Safety Health and Environment from the point of project inception to completion;
- 2.3 The Projects/Contractors shall:
 - i. Keep and maintain records of personnel and equipment at the work place;
 - ii. Be responsible for acts and omissions of the Sub-contractors;
- **iii.** Implement statutory inspection of plant, work equipment and maintain such records;
- iv. Be responsible for management of wastes generated from the activity;
- v. At all times co-operate with the Authority's authorised officers;
- vi. Obtain appropriate Permit to Work from the respective Departmental Manager prior to commencement of work;

3. RULES AND REGULATIONS

- i. The projects and contractors shall have in place a Safety Health and Environment Management System that conforms to all relevant legal instruments;
- **ii.** The Safety Health and Environment Management System should be relevant to the project/contract;
- iii. Kenya Ports Authority Project/Contract document shall have a requirement include details of the Safety Health and Environment Management System;
- iv. Projects and contracts shall comply with all Safety Health and Environment Rules and Regulations applicable to the place of work;
- v. All Projects/Contractors personnel shall undergo a project/contract induction prior to mobilization;
- vi. The Manager, Safety Health and Environment shall inspect all Projects/Contracts during the period of the Project/Contract execution on Safety Health and environment matters;
- **vii.** The Projects/Contractors shall provide appropriate personal protective equipment/clothing to all their staff;
- viii. The Projects/Contractors must report all incidents/accidents and near misses to the Manager, Safety Health and Environment immediately upon occurrence and submit a written report within twenty four (24) hours;
 - ix. The Projects/Contractors personnel must not be under the influence of any intoxicant while at work.
 - **x.** The Projects/Contractors must provide First Aid services to their personnel.
 - xi. The Manager, Safety Health and Environment shall be part of the final inspection team prior to issuance of Projects/Contracts Completion Certificates;
- xii. All other third party Projects/Contracts, Vendors and Canteen/Kiosk Operators within the premises of the Authority and aboard vessels shall comply with the Safety Health and Environment Policy;